



ZT4201E-L

EGO's Z6 Zero-turn Ride-on Mower is the world's first platform-compatible ZTR, powered by any combination of EGO 56V ARC Lithium™ batteries. Included in this kit is the industries fastest multi-port charger which can charge up to 6 batteries at the same time.

Product Details

Model Name	Z6 ZERO-TURN RIDE-ON MOWER (KIT)
------------	----------------------------------

Marketing Information

Model Name	Z6 ZERO-TURN RIDE-ON MOWER (KIT)
------------	----------------------------------

Category Bullets	The Z6 handles tight corners easily with on-the-spot turning. Equipped with the latest in digital technology and cruise control, the Z6 takes maneuverability to the next level with 3 customisable driving modes: Control, Standard and Sport.
------------------	--

PDP Short Description	EGO's Z6 Zero-turn Ride-on Mower is the world's first platform-compatible ZTR, powered by any combination of EGO 56V ARC Lithium™ batteries. Included in this kit is the industries fastest multi-port charger which can charge up to 6 batteries at the same time.
-----------------------	--

Long Description	Delivering the equivalent power of a 22 horsepower petrol engine, with none of the emissions, the Z6 covers up to 2.5 acres on a single charge with six 12Ah batteries. You can tailor the combination of batteries exactly to match the size of your lawn, and to how you prefer to cut your grass – unlike any other battery-powered ZTR on the market. The industry's fastest charger fully charges 4 x 10Ah in just 2 hours, 4x faster than any of the competition, while the four independent brushless motors deliver the power and performance of petrol to get the job done. It reaches a top speed of 8MPH and will cover up to 2.5 acres on a single charge with six 12Ah batteries. The LCD screen is intuitive, allowing you to control the mower's speed, mode, and cutting speed, plus you can see exactly how much charge you have left. Choose between three driving modes. Standard mode which you can use for everyday tasks, Control which will protect your turf and is perfect for new zero-turn users, or Sport which is great for precision cuts around sharp turns. It also has Bluetooth connectivity so you can enable a remote key from your mobile, take full control of your mowing experience, monitor your battery, and download firmware updates to receive the latest features. There are 10 cutting height settings which range between 2.5 – 10cm. These are easily adjustable with one hand by using the ergonomic handles. You've got the choice to mulch, bag or side-discharge whilst mowing, so not only can you dial in to the perfect cut, but you can also do what you require with the clippings. (Bagging kit sold separately). The features don't end there – 32 high-intensity LED lights illuminate your view when conditions get a little more challenging, you can stay hydrated whilst working with a helpful drink holder which is
------------------	--

designed for large tumblers, plus a storage compartment including a slot for your mobile phone – which you can also charge whilst driving via the useful USB port.

SUPPLIED COMPLETE AS: Inc. 1600W charger and mulching plug (CHV1600E, AMP4200)

Batteries not included. Minimum 15Ah required to function

Packaging Contains	1x Z6 Zero-Turn Ride-On Mower [ZT4200E-L]
	1x 1600W Charger [CHV1600E]
	1x Ride-On Mower Mulching Plug [AMP4200]

Technical Specifications

EAN/UPC Local	6924969118221
---------------	---------------

Model Number (Item)	{Order No. CSO}
---------------------	-----------------

Order No.	ZT4201E-L
-----------	-----------

Plug Type	Type F 2 Pin DE CEE 7/7 (Schuko)
-----------	----------------------------------

Battery Port	Multi Port
--------------	------------

Brushless Motor	Brushless
-----------------	-----------

Control	Lap Bar ZTR
---------	-------------

Cutting Options	Side discharge, Bagging, Mulching
-----------------	-----------------------------------

Number Of Blade	2
-----------------	---

Deck Construction	Stamped
-------------------	---------

Cut Height Number	10
-------------------	----

Light	Yes
-------	-----

Seat Suspension	Yes
-----------------	-----

LCD Display	5 in
-------------	------

Drive Mode Selection	4 settings + Travel
----------------------	---------------------

Drive Speed Selection	4 settings + Turbo
-----------------------	--------------------

Blade Speed Selection	4 settings + Turbo
-----------------------	--------------------

IP Class	IPX4
----------	------

Cutting Width (cm)	107
--------------------	-----

USB Charging Port	Yes
-------------------	-----

LED Headlights	Yes
----------------	-----

Floor Mat	Si
Status Indicator	Yes
Armrest	Yes
Cup Holder	Yes
Glove Box	Yes
Phone Holder	Yes
Tow Hitch	Yes
Beeper	Yes
Parking Break	Yes
Autohold	Yes
Connectivity	Yes
Grass Bagger	Yes
Mulching Plug	Yes
Forward Speed (km/h)	11.2 (12.8 km/h in travel model)
Reverse Speed (km/h)	5.6
Frame (cm)	5.08*3.04 Tubular frame
Cut Height (cm)	3.81~11.43
Front Wheel Size (cm)	27.94 X10.16
Rear Wheel Size (cm)	45.72X21.59
Seat (cm)	45.72(high back padded seat)
Tool Length (mm)	1950.72
Tool Width (mm)	1127.76
Tool Height (mm)	975.36

Marketing Features

Armrest	Yes
Autohold	Yes

Beeper	Yes
Connectivity	Yes
Cup Holder	Yes
Floor Mat	Si
Glove Box	Yes
Grass Bagger	Yes
Light	Yes
Mulching Plug	Yes
Parking Break	Yes
Phone Holder	Yes
Status Indicator	Yes
Tow Hitch	Yes
USB Charging Port	Yes
LED Headlights	Yes

KEES VAN DER SPEK
TUIN EN PARKMACHINES ★ TER AAR

Packaging Details

Packaging Type	Item	Single Pack
Packaging Measurement Unit Type	Metric	Metric
Quantity	1	1
Weight		201.90
Weight Unit		Kilogram
Height (H)		83.3
Height Unit		Centimetre
Width (L)		213
Width Unit		Centimetre
Depth (W)		117
Depth Unit		Centimetre
Gross Weight Incl Packaging		206.22
Gross Weight Incl Packaging Unit		Kilogram
Item Number		

Accessories



EGO CHV1600E 1600W CHARGER



EGO AMP4200 RIDE-ON MOWER MULCHING PLUG



EGO ABK4200-A BAGGING KIT



EGO AB4200 53cm STANDARD BLADE



EGO AB4201 53cm BAGGING BLADE



EGO CRM001 RIDE-ON MOWER COVER

KEES VAN DER SPEK
TUIN EN PARKMACHINES ★ TER AAR

Main



ZT4201E-L_EGOEU_RIDE-ON-MOWER_MAIN_01.psd

Date created: 2023-10-19T07:11:35:000+0000

Date Changed: 2023-10-18T03:17:27:000+0000

Manual




MNL_EGO_ZT4200E-L_EV01.31_211108.pdf

Date created: 2022-01-19T09:33:22:000+0000

Date Changed: 2022-01-19T09:33:22:000+0000

Explosion Diagrams



Explosion diagram_ZT4200E-L_A_22-0119.pdf
Date created: 2022-01-19T09:00:19:000+0000
Date Changed: 2022-01-19T09:00:19:000+0000

Compliance Reports



CE_EGO_ZT4200E-L_EV03.31_231218.pdf
Date created: 2024-02-02T02:44:03:000+0000
Date Changed: 2024-02-01T07:59:35:000+0000

CONFIDENTIAL.

Page 0CP / 0NP

KEES VAN DER SPEK
TUIN EN PARKMACHINES ★ TER AAR